



A NEW WAY  
TO SCAN  
THE WORLD



# FJD Trion™ S1

3D LiDAR SCANNER

Standard


Pro



[shop.pro-scan-solutions.ro](http://shop.pro-scan-solutions.ro)

# A NEW WAY TO SCAN THE WORLD


With an industry-leading SLAM algorithm, S1 and S1 Pro can quickly capture high-quality scans, while processing and displaying accurate point clouds on the mobile terminal in real-time.



**2 cm**  
Accuracy



**120 m**  
Range @ 90% reflectivity



Dual Battery  
Hot-swappable



Real-Time Point  
Cloud



Indoor & Outdoor  
Scanning



Lightweight  
and Portable

**S1**




**320,000**  
Points per second



**16**  
Sensors

**S1 Pro**




**640,000**  
Points per second



**32**  
Sensors

## APPLICATION SCENARIOS


Indoor, outdoor and even underground without a GNSS receiver.



Facility Digitalization




Heritage Conservation




BIM



Forestry Surveying



Mining Tunnel



Pile Measurement

# AS VERSATILE AS IT IS PORTABLE

Lightweight design for easy portability.

Real-time point cloud display and SLAM processing.



Handheld



Vehicle



Camera



Backpack



Drone

## YOUR POINT CLOUD STUDIO



### FJD TRION SCAN


#### Real-Time Visualization of 3D Point Clouds Software

- Displays the scanned project files, storage capacity, and battery life
- Visualizes the point cloud in real-time
- Tracks real-time path
- Manages and downloads the project files

### FJD TRION MODEL

#### Point Cloud Post-Process Software

- Denoises and colorizes point clouds
- Stitches point clouds, maps shadow, transforms coordinates, and does automatic plane fitting
- Classifies point clouds, produces 2D drawings, and builds 3D models



Free Quote: [sales@pro-scan-solutions.ro](mailto:sales@pro-scan-solutions.ro), +40754937138

# QUICK SPECS

	<b>S1</b>	<b>S1 Pro</b>
Range	120 m @ 90% reflectivity	120 m @ 90% reflectivity
FOV	360° × 270°	360° × 270°
Points per Second	320,000	640,000
Display	Real-time preview on mobile terminal	Real-time preview on mobile terminal
Datalogger Weight (incl. single battery)	2.2 kg	2.2 kg
Battery Life (Dual battery)	4 hours	4 hours
Ingress Protection	IP 54	IP 54
Sensors	16	32
Laser Class	Class 1 / $\lambda$ 905 nm	Class 1 / $\lambda$ 905 nm
Relative Accuracy	2 cm*	2 cm*
Processing	Real-time	Real-time
Carrier	Backpack or shoulder strap	Backpack or shoulder strap
Scanner Weight	1.8 kg	1.8 kg
Storage Capacity	512 GB	512 GB

\*Measured in experimental environment



Free Quote: [sales@pro-scan-solutions.ro](mailto:sales@pro-scan-solutions.ro), +40754937138

Address: 115 CÂMPULUI STREET, Cluj-Napoca, Romania

[shop.pro-scan-solutions.ro](http://shop.pro-scan-solutions.ro)    

**CREATE FOR A BETTER WORLD**

Copyright © 2022 FJDynamics. All rights reserved.